

NEW FOR 2020



SINGLE OPERATOR BLINDS



Classic steel door with S-Frame (Flat Shaker Frame) and Glide Internal Blinds

Improved Operator Design

Glide

New ergonomic GLIDE single operator easily raises, lowers and tilts. Blinds successfully tested over 25,000 cycles. Energy efficient Low-E available in all sizes. No need to dust or clean. All cords are safely sealed between two panes of glass reducing the safety risk for children and pets.

Earthtone







20 x 64 22 x 64

White



20 x 36 22 x 36



8 x 36



22 x 48



8 x 48



14 x 64 20 x 64 22 x 60 22 x 64



7 x 64



22 x 76 14 x 80

22 x 80



8 x 80

COMMODITY AND DECORATIVE FRAMES



Shaker steel door with S-Frame and Celeste 22 x 48 doorglass



S-FRAME Flat Shaker Frame

RSL is pleased to announce our new S-Frame. This new low-profile frame provides homeowners a contemporary look without sacrificing any of the durability and reliability of our traditional injection molded frame (R-Frame). S-Frame is available in white polypropylene 1" one lights in the following sizes:

20 x 64 | 22 x 64 | 7 x 64 | 22 x 48 22 x 36 | 8 x 36 22 x 15\% | 22 x 17

• IdealSeal standard on S-Frames.



R-FRAME Traditional Raised Frame

Our standard injection molded frame is now known as the R-Frame. R-Frame is available in polypropylene and PC/ABS $\frac{1}{2}$ " or 1" in white or tan.

• IdealSeal standard on decorative R-Frames.

IMPACT FRAMES





SHAKER IMPACT

RSL is excited to announce our new Flat Shaker Impact frame. This contemporary profile has a smooth texture, is constructed from maintenance free vinyl and is available in all rectangular sizes. The Shaker Impact frame is Florida Impact rated #FL30712 (www.floridabuilding.org).

FEATURES AND BENEFITS

- Missile impact tested and approved!
- Attractive smooth vinyl frames that are ideal for beautiful homes
- Available in all rectangular sizes
- Snap-on cap covers all screws
- Fits 2'6". 2'8" and 3'0" doors with normal cutouts
- Eliminates the need for hurricane shutters
- Specifically engineered to meet Florida coastal area requirements for structural and impact performance
- Easy to paint or stain
- · Added value of noise reduction



ARC IMPACT

Our traditional impact frame is now known as the Arc Impact frame due to the subtle arc in its design. Arc meets wind-borne debris requirements in the High Velocity Hurricane Zone (HVHZ) where maximum wind speeds can surpass 180 mph. Florida Product Approval #15419 (www.floridabuilding.org).

IDEALSEAL ELIMINATES SQUEEZE-OUT



IdealSeal

IdealSeal is RSL's new, innovative sealant that is applied dry in order to eliminate squeeze-out. Additionally, IdealSeal is not sticky which prevents dirt adhesion and even allows for repositioning of the glass during installation!

- Coming first quarter 2020.
- Standard on S-Frame and decorative R-Frames.

3 1/2" EXTERNAL GRILLS



Classic steel door with Frosted doorglass and 3 ½" Grills.

3 ½" Grills


Our 3 ½" External Grills provide a modern divided light look that will accent any entryway. Constructed from durable low maintenance vinyl, they will endure the elements with minimal upkeep. 3 ½" External Grills are available in white in 24" lengths.



Shaker steel door and Celeste doorlight.

Celeste

Caming: Black Patina



Privacy Level





22 x 15 ¼ 22 x 17





22 x 36



22 x 48



8 x 48



22 x 64


7 x 64





Prestige steel door with Chanelle doorlight and sidelight.

Chanelle



Privacy Level







22 x 36

8 x 36





22 x 48

8 x 48





22 x 64

7 x 64



Shaker steel door and Horizon doorlight.

Horizon



Pebble Waterglass Chord Clear Bevels

• Improved privacy in center bevels.

Privacy Level





22 x 10



22 x 15 ¼ 25 x 15 ¼ 22 x 17







8 x 48



22 v 64




7 x 64



Shaker steel door with Vineyard Wrought Iron doorlight and sidelights.

Vineyard



Privacy Level





14 x 37



22 x 36



8 x 36



22 x 48



8 x 48



22 x 64




7 x 64



Shaker steel door with Edge craftsman doorlight.

Edge



Privacy Level 9/10
PRIVACY




22 x 64





Classic steel door with Emori doorglass and sidelight.

Emori



Privacy Level
















22 x 64

7 x 64




Classic steel door with Pure doorlight.

Pure



Privacy Level








Classic steel door with Zenith doorlight.

Zenith



Privacy Level







22 x 36







22 x 48

8 x 48





7 x 64

60" & 76" ADA DOORGLASS 🔏









22 x 60

ADA Compliant

RSL is pleased to introduce two new doorglass sizes that are Americans with Disablities Act (ADA) compliant. 22x60 white frames for 6'8" doors and 22x76 white frames for 8' doors. Both sizes are 1 light injection molded frames which offer any GBG configuration. GLIDE Internal Blinds and decorative designs also available.

Requirements Regarding Door Surface:

Door surfaces within 10 inches of the floor or ground must be a smooth surface on the push side extending the full width of the door. Any parts creating a horizontal or vertical joint on the surface shall be within 1/16 inch in depth. If cavities are created by added kick plates they must be capped.







22 x 76

